

## DURALUX GU10



- \* Deco range: 10,000 hours.
- \* Base: GU10.
- \* Working at mains.
- \* Energy saving lamp with aluminized reflector.
- \* Wide choice of wattages.
- \* The particular shape of the tube guarantees maximum light emission as there is no overlapping of the coils.
- \* Specially designed to replace dichroic lamps: same reflector size but longer lifetime.
- \* For domestic and decorative use.
- \* See also the Energy Saving Kit: orientable downlight complete with GU10 lamp.
- \* Wide Beam

### Item Characteristics

Code	06996
Lamp Voltage	230 V
Nominal Power	13 W
Base	GU10
Lamp Current	0,1 A
Nominal Flux	323 LUMEN
Light Tonality	Cool light
Colour temperature	6400 K
Opening beam	130°
Diameter	51 mm
Length	77 mm
Tube Geometry	TWIST



### Performance

Photometry	F27
Irc/Ra	>80
Lifetime	10000 h
Energy Class	B
kWh/1000h	13
Equivalence with incandescent lamp	50 W

**Tech Info**

Dimmable	NO
Operating Position	360°
Open fittings	YES
Number of ON-OFF cycles	10000
Power Factor	0,55
Warm-up time up to 60 % of the full light output	<60"
Lamp start time	<=0,3S
Mercury (mg)	<2,5mg
LLMMF - Lamp lumen maintenance factor	65
Fulfilled Directives and norms	2006/95/CE * Bassa Tensione 2004/108/CE * Compatibilità Elettromagnetica 2011/65/UE * RoHS 2002/19/UE * RAEE 2009/125/CE * Progettazione Eco Compatibile EN 60968 * anno 2013 EN 61547 * anno 2010 EN 55015 * anno 2014 EN 61000-3-2 * anno 2007 EN 61000-3-2/A1/A2 * anno 2011 EN 61000-3-3 * anno 2014 1194/2012 * Progettazione Eco Compatibile 2010/30/EU * Energy Consumption 874/2012 * Regulation for Energy Labelling

**Spectrocolorimetry and Photometry**



**Shipping info**

Single pack dimensions L x H x D (mm)	52 x 52 x 82
Item barcode	8011905829933
Pack	10 pz
Inner pack dimensions L x H x D (mm)	275 x 110 x 100
Master barcode	8011905775216
Master pack dimensions L x H x D (mm)	575 x 290 x 215